




# Lake Jackson Soccer Club





## Field Marking

- **1. RESTRAINING LINE – A restraining line shall be established on both sides of all HYSA playing fields. The distance from each restraining line to the touchline shall be six (6) feet or further, unless such distance is not possible. The Field Inspection Committee shall decide exceptions to distances. The restraining line will go no further than from the halfway line to the top of the penalty box.**
- **2. TECHNICAL AREA – The area marked on the side of the field in which all coaches/managers, trainers, substitute players and spectators for a team will remain during a competition.**
- **3. A coach or trainer may briefly leave the TECHNICAL AREA as defined in I.F.2. but may not go beyond the RESTRAINING LINE as defined in I.F.1. on his/her team's side of the field to convey appropriate tactical advice to players from the touchline and must return to the technical area, behind the restraining line, as soon as they have done so.**
- **4. Spectators must remain inside the restraining area as defined by the RESTRAINING LINE as defined in I.F.1. at all times and coaching by spectators is prohibited.**
- **5. If no TECHNICAL AREA or RESTRAINING LINE is marked on the field, then such line shall be deemed to exist at a distance of 6 feet from the touch lines extending from a point even with the penalty box line to the halfway line.**

# Maclean Fields West – M4, M5, M6, and M7



# Maclean Fields East – M1, M2, M3, M8E, and M8W



# Hospital Fields – A, B, C, D, E, F, H23, H24, H25, and H26

